UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|----------------------------|------------------------------|----------------------|---------------------------|------------------|
| 10/520,544 | 07/01/2005 | Patrick Golden | 758.1491USWO | 9289 |
| 23552 MERCHANT & | 7590 03/16/200 & GOULD PC | EXAMINER | | |
| P.O. BOX 2903 | } | | CHRISTIAN, MARJORIE ELLEN | |
| MINNEAPOLIS, MN 55402-0903 | | | ART UNIT | PAPER NUMBER |
| | | | 1797 | |
| | | | | |
| | | | MAIL DATE | DELIVERY MODE |
| | | | 03/16/2009 | PAPER |

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

| | Application No. | Applicant(s) | | | |
|--|---|--|--|--|--|
| | 10/520,544 | GOLDEN ET AL. | | | |
| Office Action Summary | Examiner | Art Unit | | | |
| | MARJORIE CHRISTIAN | 1797 | | | |
| The MAILING DATE of this communication app | ears on the cover sheet with the c | orrespondence address | | | |
| Period for Reply | | | | | |
| A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). | ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE | N. nely filed the mailing date of this communication. D (35 U.S.C. § 133). | | | |
| Status | | | | | |
| 1)⊠ Responsive to communication(s) filed on <u>06 Ja</u> | nnuary 2005 | | | | |
| ,— | action is non-final. | | | | |
| ·= | _ | | | | |
| closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. | | | | | |
| Disposition of Claims | • | | | | |
| 4)⊠ Claim(s) <u>19-36</u> is/are pending in the application | า | | | | |
| 4a) Of the above claim(s) is/are withdrawn from consideration. | | | | | |
| 5) Claim(s) is/are allowed. | | | | | |
| 6) Claim(s) is/are rejected. | | | | | |
| 7) Claim(s) is/are objected to. | | | | | |
| 8) Claim(s) 19-36 are subject to restriction and/or | election requirement. | | | | |
| Application Papers | · | | | | |
| ··· _ | _ | | | | |
| 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner. | | | | | |
| ,— | | | | | |
| Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). | | | | | |
| 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. | | | | | |
| Priority under 35 U.S.C. § 119 | animer. Note the attached office | Action of formal 10-102. | | | |
| <u> </u> | | (41) = 7 (5) | | | |
| 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: | | | | | |
| <i>;</i> | | | | | |
| 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No | | | | | |
| 3. Copies of the certified copies of the priority documents have been received in this National Stage | | | | | |
| application from the International Bureau (PCT Rule 17.2(a)). | | | | | |
| * See the attached detailed Office action for a list of the certified copies not received. | | | | | |
| 255 the attached detailed office action for a list | S. 1.10 COLUMN COPICO HOL TOUGHVE | ~· | | | |
| Attachment/c) | | | | | |
| Attachment(s) 1) \(\sum \) Notice of References Cited (PTO-892) | 4) Interview Summary | (PTO-413) | | | |
| 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Da | nte | | | |
| 3) Information Disclosure Statement(s) (PTO/SB/08) | 5) Notice of Informal P | atent Application | | | |
| Paper No(s)/Mail Date | 6) | | | | |

Application/Control Number: 10/520,544 Page 2

Art Unit: 1797

DETAILED ACTION

Election/Restrictions

1. Restriction is required under 35 U.S.C. 121 and 372.

This application contains the following inventions or groups of inventions which are not so linked as to form a single general inventive concept under PCT Rule 13.1.

In accordance with 37 CFR 1.499, applicant is required, in reply to this action, to elect a single invention to which the claims must be restricted.


Group I, <u>claims 19-27</u>, drawn to a corrugated filter sheet of filter media with end closure sealed to fluid flow therethrough.

Group II, <u>claims 28-36</u>, drawn to process of manufacturing filter media by deforming a portion to define a foldable tip.

The inventions listed as Groups I and II do not relate to a single inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features. Specifically, JP 01-171615, KADOYA (hereinafter KADOYA) discloses a similar special technical feature. The special feature disclosed a fluted filter media construction (Fig. 3) comprising: a corrugated sheet of filter media comprising a curved wave pattern of corrugations (3); a set of the corrugations defining individual flutes each having an end closure (4, 5) defined by a regular fold arrangement in a corresponding corrugation including four folds. KADOYA also discloses if the folded ends are closed with filing sealant that fluid flow would not be possible (Pg. 7, Para. 3, see Translation provided by Applicant from Ralph McElroy Translation Company).

Application/Control Number: 10/520,544

Art Unit: 1797



2. A telephone call was made to Ms. Julie Daulton on 3/12/2009 to request an oral election to the above restriction requirement, but did not result in an election being made.

Applicant is advised that the reply to this requirement to be complete must include (i) an election of a species or invention to be examined even though the requirement may be traversed (37 CFR 1.143) and (ii) identification of the claims encompassing the elected invention.

The election of an invention or species may be made with or without traverse. To preserve a right to petition, the election must be made with traverse. If the reply does not distinctly and specifically point out supposed errors in the restriction requirement, the election shall be treated as an election without traverse.

Conclusion

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to MARJORIE CHRISTIAN whose telephone number is

Application/Control Number: 10/520,544 Page 4

Art Unit: 1797

(571)270-5544. The examiner can normally be reached on Monday through Thursday 7-5pm (Fridays off).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David R. Sample can be reached on (571)272-1376. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

MC

/Krishnan S Menon/ Primary Examiner, Art Unit 1797